

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L2 | 3 | (6557080 6286075 5584003).pn. | USPAT | ADJ | ON | 2007/10/16 10:36 |
| L3 | 3 | "10/696144" | US-PGPUB | ADJ | ON | 2007/10/16 10:36 |
| L4 | 1 | "10/749766" | US-PGPUB | ADJ | ON | 2007/10/16 10:36 |
| L5 | 11 | ("6,452,823" "6,412,044" "6,215,685" "6,223,248" "5,841,961" "5,226,009" "6,408,345" "5,513,335" "5,497,473" "5,469,555" "5,165,029").pn. | USPAT | OR | ON | 2007/10/16 10:36 |
| L6 | 1 | "10/749900" | US-PGPUB | ADJ | ON | 2007/10/16 10:36 |
| L7 | 30700 | hynix.as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L8 | 3 | (tag and initializ\$5) and L7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L9 | 19 | tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) near3 time | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L10 | 235 | (tag and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L11 | 3 | ((tag adj2 (block or cell)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L12 | 0 | (tag and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab. and (711/???.ccls. or 365/?????.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|-----|----|------------------|
| L13 | 7 | tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) and (711/???.ccls. or 365/?????.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L14 | 60 | (number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) and (initializ\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L15 | 4 | (number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) same (initializ\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L16 | 14 | (number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) and (initializ\$5) and (711/???.ccls. or 365/?????.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L17 | 106 | (cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L18 | 3 | (711/105.ccls. or 711/108.ccls. or 711/202.ccls. or 711/203.ccls. or 365/?????.ccls.) and (tag near3 (block or cell) same initializ\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L19 | 4 | ((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L20 | 4 | "20050111284" or "6557080".pn. or "6286075".pn. or "6697909".pn. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L21 | 11 | ("6,452,823" "6,412,044" "6,215,685" "6,223,248" "5,841,961" "5,226,009" "6,408,345" "5,513,335" "5,497,473" "5,469,555" "5,165,029").pn. | USPAT | OR | ON | 2007/10/16 10:36 |

EAST Search History

| | | | | | | |
|-----|------|--|---|-----|----|------------------|
| L22 | 3324 | hynix.as. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L23 | 189 | hynix.as. and normal.clm. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L24 | 11 | hynix.as. and normal.clm. and initializ\$5.clm. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L25 | 0 | hynix.as. and normal.clm. and nullifying.clm. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L26 | 60 | normal.clm. and nullifying.clm. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L27 | 6 | (normal operation).clm. and nullifying.clm. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L28 | 1 | (normal).clm. and nullifying.clm. and tag.clm. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L29 | 249 | (normal).clm. and operation.clm. and tag.clm. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L30 | 66 | (normal).clm. and operation.clm. and tag.clm. and physical.clm. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L31 | 11 | (normal).clm. and operation.clm. and tag.clm. and physical.clm. and address.clm. | US-PGPUB; USPAT | ADJ | ON | 2007/10/16 10:36 |
| L32 | 2 | initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3) near10 (tag near4 (table or journal or log))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L33 | 118 | initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L34 | 30 | initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L35 | 105 | ((select\$3 or choos\$3)) with (tag near6 (table or journal or log)) and ((sotr\$3 or sav\$3 or retain\$3) with (cell or block)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|-----|----|------------------|
| L36 | 358 | (control\$4 and tag and (block or memory or cell or register)) .ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L37 | 86 | (control\$4 and tag adj2 (block or memory or cell or register)) .ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L38 | 9 | (control\$4 and tag adj2 (block or memory or cell or register)) .ti. and (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L39 | 1 | (initializ\$4 near3 tag adj2 (block or memory or register or cell)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L40 | 37 | (initializ\$4 near3 tag adj2 (block or memory or register or cell)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L41 | 26 | (initializ\$4 near3 tag adj2 (block or memory or register or cell)) and (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L42 | 1 | "20040085835" | US-PGPUB | ADJ | ON | 2007/10/16 10:36 |
| L43 | 30 | initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L44 | 37 | (initializ\$4 near3 tag adj2 (block or memory or register or cell)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| L45 | 60 | (number or many or multiple or several or each) near3 (tag adj2 (table or journal or log)) and (initializ\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L46 | 105 | ((select\$3 or choos\$3)) with (tag near6 (table or journal or log)) and ((sotr\$3 or sav\$3 or retain\$3) with (cell or block)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L47 | 106 | (cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L48 | 9 | (control\$4 and tag adj2 (block or memory or cell or register)) .ti. and (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L49 | 1 | "5584003".pn. | USPAT | ADJ | ON | 2007/10/16 10:36 |
| L50 | 106 | (cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L51 | 26 | (initializ\$4 near3 tag adj2 (block or memory or register or cell)) and (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L52 | 30 | initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L53 | 135 | tag (block or cell) and (logical with physical) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |

EAST Search History

| | | | | | | |
|-----|----|---|--|-----|----|------------------|
| L54 | 21 | tag (table) and (logical with physical) near4 address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L55 | 19 | tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) near3 time | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L56 | 4 | ((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L57 | 8 | (cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) with (word near4 line) with (row near4 address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L58 | 83 | (cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) and (word near4 line) and (row near4 address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L59 | 68 | tag (block or cell) and (logical with physical) near4 address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L60 | 26 | (initializ\$4 near3 tag adj2 (block or memory or register or cell)) and (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L61 | 4 | ((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| L62 | 30 | initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3)) with (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L63 | 21 | tag (table) and (logical with physical) near4 address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L64 | 83 | (cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) and (word near4 line) and (row near4 address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L65 | 19 | tag with (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up) near3 time | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L66 | 106 | (cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L67 | 8 | (cell or block or segment or page or sector or chunk) with((table or journal or log) near6 tag) with (word near4 line) with (row near4 address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L68 | 68 | tag (block or cell) and (logical with physical) near4 address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L69 | 4 | ((tag adj2 (register)) and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| L70 | 106 | (cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L71 | 135 | tag (block or cell) and (logical with physical) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L72 | 135 | tag (block or cell) and (logical with physical) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L73 | 32 | (L14 L26 L30 L37 L58 L64 L8 L9 L11 L13 L15 L16 L18 L19 L24 L27 L31 L32 L34 L38 L40 L41 L43 L44 L45 L48 L51 L52 L54 L55 L56 L57 L60 L61 L62 L63 L65 L67 L68 L69) and @pd>"20070322" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 10:36 |
| L74 | 239 | (tag and (reduc\$3 or minimiz\$3 or decreas\$3) and (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L75 | 34 | (tag and (reduc\$3 or minimiz\$3 or decreas\$3) with (initializ\$5 or start\$3 or start\$3 up or start\$3-up)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L76 | 7 | (initializ\$5 with (tag adj3 (block or cell or memory or register)) and ((select\$3 or choos\$3))).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |
| L77 | 4 | ((cell or block or segment or page or sector or chunk) and ((table or journal or log) near6 tag) and (word near4 line) and (row near4 address)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/16 10:36 |